



QVNU2.E155159 Protectors, Supplementary - Component

[Page Bottom](#)

Protectors, Supplementary - Component

[See General Information for Protectors, Supplementary - Component](#)

KUOYUH W L ENTERPRISE CO LTD

E155159

17 KEJIA 6TH RD

DOULIU

YUNLIN HSIEN, 640 TAIWAN

Supplementary protectors

Cat. No.	Type	UG	FW	MaxV	MaxAmps	TC	OL	SC
F66 Series	OC	A	0	125, 250 Vac	0.5 - 10	1	0	200 A,C1
F66 Series	OC	A	0	50 Vdc	0.5 - 10	1	0	200 A,C1
F88 Series	OC	A	0	125 Vac	13 -15	1	1	1.0 kA, C1
88AR Series	OC	A	0	125 Vac	15	1	0	1.0kA,C1
88AR Series	OC	A	0	50 Vdc	10	1	0	30 A,C1
88 Series	OC	A, B, C, D	0	125, 250 Vac	3-30	2	0, 1	1.0 kA C1, 125 Vac, or 1.0 kA C1, 250 Vac
88 Series	OC	A, B, C, D	0	125, 250 Vac	3-20	2	0, 1	400 A U3, 125 Vac, or 400 A U3, 250 Vac
88 Series	OC	A, B, C, D	0	50 Vdc	3-30	2	0	300 A C1, 50 Vdc
98 Series	OC	A, B, C, D	0	125, 250 Vac	3-50	2	0, 1	1.0 kA C1, 125 Vac, or 1.0 kA C1, 250 Vac
98 Series	OC	A, B, C, D	0	125, 250 Vac	3-30	2	0, 1	400 A U3, 125 Vac, or 400 A U3, 250 Vac
98 Series	OC	A, B, C, D	0	50 Vdc	3-30	2	0, 1	300 A C1, 50 Vdc

98 Series	OC	A, B, C, D	0	50 Vdc	31-50	2	0	300 A C1, 50 Vdc
91 Series	OC	A	0	125/250 Vac	0.5-10	2	0	1.0kA,C1
91 Series	OC	A	0	50 Vdc	0.5-10	2	0	200A,C1
91-A Series	OC	A	0	125/250 Vac	1-10	2	1	1.0kA,C1
91-A Series	OC	A	0	50 Vdc	1-10	2	0	200A,C1
91L Series	OC	A	0	125 Vac	5-20	2	1	1.0kA@125Vac, C1
88A Series	OC	A,B,C,D	0	125, 250 Vac	3-16	1	0	1.0kA@250Vac, C1
	OC	A,B,C,D	0	32 Vdc	3-16	1	1	200A@32Vdc, C1
92 Series	OC	A,B,C,D	0	125, 250 Vac	0.25-2.5	2	0	1.0kA@250Vac, C1
	OC	A,B,C,D	0	125, 250 Vac	3-16	1	0	1.0kA@250Vac, C1
	OC	A,B,C,D	0	32 Vdc	0.25-2.5	2	0	200A@32Vdc, C1
	OC	A,B,C,D	0	32 Vdc	3-16	1	0	200A@32Vdc, C1
97M Series	OC	A,B,C,D	0	125, 250 Vac	0.6-12	2	0	200A@250Vac, C1
	OC	A,B,C,D	0	50 Vdc	0.6-12	2	0	200A@50Vdc, C1
98H Series	OC	A,B,C,D	0	125, 250 Vac	40-80	1	0	1 kA U1, 125 Vac, or 1 kA U1, 250 Vac
	OC	A,B,C,D	0	50 Vdc	40-80	1	0	300 A U1, 50 Vdc
91L Series	OC	A,B,C,D	0	125, 250 Vac	2-20	2	1	1kA, C1, 125Vac, 1kA, C1, 250Vac
	OC	A, B, C, D	0	50 Vdc	2-20	2	0	200A, C1, 50Vdc
94N Series, 94NL Series	OC	B, D	0	125 Vac	3-16	2	1	1kA, C1, 125Vac
	OC	B, D	0	250 Vac	3-16	2	1	1kA, C1, 250Vac
	OC	A, B, C, D	0	50 Vdc	3-16	2	0	200A, C1, 50Vdc
94D Series	OC	B, D	0	125 Vac	3-20	1	1	1kA, C1, 125Vac
	OC	B, D	0	250 Vac	3-20	1	1	1kA, C1, 250Vac
	OC	A, B, C, D	0	50 Vdc	3-20	1	0	200A, C1, 50Vdc

Note: The Models 91-A Series with the plastic material E41938, E I Dupont De Nemours & Co Inc, PBT, Type CE1064 of Basic and Enclosure have tested at 6 times ac rating for motor starting.



Marking: Company name or trademark , catalog designation and electrical ratings.

Last Updated on 2015-11-10

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".